# **SAFETY DATA SHEET**



# 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

1.1 Product identifier

Product name MAXIMUM MANGANESE SULPHATE MONOHYDRATE

Synonyms MANGANESE SULPHATE MONOHYDRATE

1.2 Uses and uses advised against
Uses FERTILISER

1.3 Details of the supplier of the product

Supplier name CAMPBELLS FERTILISERS AUSTRALASIA PTY LTD

Address 18 Raymond Rd, Laverton North, Victoria, 3026, AUSTRALIA

**Telephone** (03) 9931 2211 **Fax** (03) 9931 2201

Email <a href="mailto:info@campbellsfert.com.au">info@campbellsfert.com.au</a>
Website <a href="mailto:http://www.campbellsfert.com.au">http://www.campbellsfert.com.au</a>

1.4 Emergency telephone numbers

**Emergency** (03) 9931 2211 (8.30am - 5pm Monday - Friday)

**Emergency** 0418 350 726 (At all other times)

Poison Information 13 11 26

Centre

# 2. HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

CLASSIFIED AS HAZARDOUS ACCORDING TO SAFE WORK AUSTRALIA CRITERIA

# **Physical Hazards**

Not classified as a Physical Hazard

### **Health Hazards**

Acute Toxicity: Oral: Category 4

Serious Eye Damage / Eye Irritation: Category 1

Specific Target Organ Toxicity (Repeated Exposure): Category 1

#### **Environmental Hazards**

Aquatic Toxicity (Chronic): Category 2

# 2.2 GHS Label elements

Signal word DANGER

**Pictograms** 







Page 1 of 7



### **Hazard statements**

H302 Harmful if swallowed.

H318 Causes serious eye damage.

H372 Causes damage to organs through prolonged or repeated exposure.

H411 Toxic to aquatic life with long lasting effects.



SDS Date: 20 Jul 2021

#### Prevention statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

#### Response statements

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing.

P310 Immediately call a POISON CENTRE or doctor/physician.

P314 Get medical advice/attention if you feel unwell.

P330 Rinse mouth. P391 Collect spillage.

# Storage statements

None allocated.

#### **Disposal statements**

P501 Dispose of contents/container in accordance with relevant regulations.

#### 2.3 Other hazards

No information provided.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substances / Mixtures

Ingredient	CAS Number	EC Number	Content
MANGANESE SULPHATE	7785-87-7	232-089-9	>98%

#### 4. FIRST AID MEASURES

### 4.1 Description of first aid measures

Eye If in eyes, hold eyelids apart and flush continuously with running water. Continue flushing until advised to

stop by a Poisons Information Centre, a doctor, or for at least 15 minutes.

**Inhalation** If inhaled, remove from contaminated area. Apply artificial respiration if not breathing.

**Skin** If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water.

Continue flushing with water until advised to stop by a Poisons Information Centre or a doctor.

Ingestion For advice, contact a Poisons Information Centre on 13 11 26 (Australia Wide) or a doctor (at once). If

swallowed, do not induce vomiting. Ingestion is considered unlikely due to product form.

# 4.2 Most important symptoms and effects, both acute and delayed

See Section 11 for more detailed information on health effects and symptoms.

# 4.3 Immediate medical attention and special treatment needed

Treat symptomatically.

#### 5. FIRE FIGHTING MEASURES

# 5.1 Extinguishing media

Use an extinguishing agent suitable for the surrounding fire.

# 5.2 Special hazards arising from the substance or mixture

Non flammable. May evolve manganese oxides when heated to decomposition. May evolve sulphur oxides when heated to decomposition.

#### 5.3 Advice for firefighters

Treat as per requirements for surrounding fires. Evacuate area and contact emergency services. Remain upwind and notify those downwind of hazard. Wear full protective equipment including Self Contained Breathing Apparatus (SCBA) when combating fire. Use waterfog to cool intact containers and nearby storage areas.

Page 2 of 7

ChemAlert.

SDS Date: 20 Jul 2021

#### 5.4 Hazchem code

2Z

- 2 Fine Water Spray.
- Ζ Wear full fire kit and breathing apparatus. Contain spill and run-off.

# 6. ACCIDENTAL RELEASE MEASURES

# 6.1 Personal precautions, protective equipment and emergency procedures

Wear Personal Protective Equipment (PPE) as detailed in section 8 of the SDS. Clear area of all unprotected personnel. Contact emergency services where appropriate.

#### 6.2 Environmental precautions

Prevent product from entering drains and waterways.

#### 6.3 Methods of cleaning up

Contain spillage, then collect and place in suitable containers for reuse or disposal. Avoid generating dust.

#### 6.4 Reference to other sections

See Sections 8 and 13 for exposure controls and disposal.

# 7. HANDLING AND STORAGE

#### 7.1 Precautions for safe handling

Before use carefully read the product label. Use of safe work practices are recommended to avoid eye or skin contact and inhalation. Observe good personal hygiene, including washing hands before eating. Prohibit eating, drinking and smoking in contaminated areas.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry, well ventilated area, removed from incompatible substances, heat or ignition sources and foodstuffs. Ensure containers are adequately labelled, protected from physical damage and sealed when not in use. Large storage areas should have appropriate ventilation systems.

#### 7.3 Specific end uses

No information provided.

# 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### 8.1 Control parameters

#### **Exposure standards**

Ingredient	Reference	TWA		STEL	
	Kelerence	ppm	mg/m³	ppm	mg/m³
Manganese, dust & compounds (as Mn)	SWA [AUS]		1		
Manganese, fume (as Mn)	SWA [AUS]		1		3

Page 3 of 7

### **Biological limits**

No biological limit values have been entered for this product.

#### 8.2 Exposure controls

**Engineering controls** 

Avoid inhalation. Use in well ventilated areas. Where an inhalation risk exists, mechanical extraction ventilation is recommended. Maintain dust levels below the recommended exposure standard.

ChemAlert.

SDS Date: 20 Jul 2021

**PPE** 

**Eye / Face** Wear dust-proof goggles. **Hands** Wear PVC or rubber gloves.

**Body** When using large quantities or where heavy contamination is likely, wear coveralls.

Respiratory Where an inhalation risk exists, wear a Class P1 (Particulate) respirator. At high dust levels, wear a

Full-face Class P3 (Particulate) respirator.



# 9. PHYSICAL AND CHEMICAL PROPERTIES

# 9.1 Information on basic physical and chemical properties

Appearance SOLID

Odour ODOURLESS
Flammability NON FLAMMABLE
Flash point NOT RELEVANT

**Boiling point** 850°C **Melting point** 700°C

**Evaporation rate** NOT AVAILABLE

**pH** 5 to 7

Vapour density NOT AVAILABLE

Relative density 2.95 Solubility (water) SOLUBLE

Vapour pressure **NOT AVAILABLE** Upper explosion limit **NOT RELEVANT** Lower explosion limit NOT RELEVANT Partition coefficient **NOT AVAILABLE Autoignition temperature NOT AVAILABLE Decomposition temperature NOT AVAILABLE** Viscosity **NOT AVAILABLE Explosive properties NOT AVAILABLE Oxidising properties NOT AVAILABLE Odour threshold NOT AVAILABLE** 

# 10. STABILITY AND REACTIVITY

#### 10.1 Reactivity

Carefully review all information provided in sections 10.2 to 10.6.

#### 10.2 Chemical stability

Stable under recommended conditions of storage.

#### 10.3 Possibility of hazardous reactions

Hazardous polymerisation is not expected to occur.

### 10.4 Conditions to avoid

Avoid heat, sparks, open flames and other ignition sources.

# 10.5 Incompatible materials

Incompatible with oxidising agents (e.g. hypochlorites) and acids (e.g. nitric acid).

Page 4 of 7

### 10.6 Hazardous decomposition products

May evolve manganese oxides when heated to decomposition.

# 11. TOXICOLOGICAL INFORMATION

## 11.1 Information on toxicological effects



SDS Date: 20 Jul 2021

Acute toxicity Harmful if swallowed.

Information available for the ingredients:

Ingredient	Oral LD50	Dermal LD50	Inhalation LC50
MANGANESE SULPHATE	2150 mg/kg (rat)		

**Skin** Contact may result in irritation, rash and dermatitis.

Eye Contact may result in irritation, lacrimation, pain and redness.

Sensitisation Not classified as causing skin or respiratory sensitisation.

MutagenicityNot classified as a mutagen.CarcinogenicityNot classified as a carcinogen.ReproductiveNot classified as a reproductive toxin.

STOT - single exposure

Over exposure may result in irritation of the nose and throat, with coughing.

STOT - repeated exposure

Repeated exposure to manganese may result in manganese poisoning (manganism), a progressively disabling brain disease, which in its latter stages resembles Parkinsons disease. Symptoms may result in

lack of appetite, fatigue and changes in speech, balance and personality.

**Aspiration** Not classified as causing aspiration.

# 12. ECOLOGICAL INFORMATION

### 12.1 Toxicity

Manganese and its compounds have moderate acute and chronic toxicity to aquatic life. Insufficient data are available to evaluate or predict the short-term and long-term effects of manganese and its compounds on plants, birds, or land animals. Most plants have a very high tolerance for manganese.

# 12.2 Persistence and degradability

Manganese is an essential element for all living organisms including animals, plants and bacteria.

#### 12.3 Bioaccumulative potential

Not expected to bioaccumulate.

#### 12.4 Mobility in soil

Soluble manganese 2+ compounds are relatively mobile and may potentially leach into surface and groundwater.

#### 12.5 Other adverse effects

Manganese may exist in the environment as the more soluble (2+) form and/or the less soluble (3+) form. In acidic waters, high levels of dissolved manganese may occur. Occurs naturally (0.085% of earth's crust).

# 13. DISPOSAL CONSIDERATIONS

# 13.1 Waste treatment methods

Waste disposal Soluble salts: convert to insoluble form by dissolving in water and precipitating with lime or sodium

carbonate. Absorb with sand or similar and dispose of to an approved landfill site. Insoluble salts: Dispose of to an approved landfill or waste processing site. Contact the manufacturer/supplier for additional information

(if required).

**Legislation** Dispose of in accordance with relevant local legislation.

# 14. TRANSPORT INFORMATION

# CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE



Page 5 of 7



SDS Date: 20 Jul 2021

	LAND TRANSPORT (ADG)	SEA TRANSPORT (IMDG / IMO)	AIR TRANSPORT (IATA / ICAO)
14.1 UN Number	3077	3077	3077
14.2 Proper Shipping Name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Contains Manganese sulphate monohydrate)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Contains Manganese sulphate monohydrate)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Contains Manganese sulphate monohydrate)
14.3 Transport hazard class	9	9	9
14.4 Packing Group	III	III	III

#### 14.5 Environmental hazards

Marine Pollutant.

#### 14.6 Special precautions for user

 Hazchem code
 2Z

 GTEPG
 9C1

 EmS
 F-A, S-F

Other information

The environmentally hazardous substance mark is not required when transported in packages of less than 5 kg/L (UN Model Regulations: Special Provision 375; IATA: Special Provision A197; IMDG: Special Provision 969) or less than 500 kg/L by Australian Road and Rail.

# 15. REGULATORY INFORMATION

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Poison schedule A poison schedule number has not been allocated to this product using the criteria in the Standard for the

Uniform Scheduling of Medicines and Poisons (SUSMP).

Classifications Safe Work Australia criteria is based on the Globally Harmonised System (GHS) of Classification and

Labelling of Chemicals (GHS Revision 7).

Inventory listings AUSTRALIA: AllC (Australian Inventory of Industrial Chemicals)

All components are listed on AIIC, or are exempt.

# 16. OTHER INFORMATION

### **Additional information**

RESPIRATORS: In general the use of respirators should be limited and engineering controls employed to avoid exposure. If respiratory equipment must be worn ensure correct respirator selection and training is undertaken. Remember that some respirators may be extremely uncomfortable when used for long periods. The use of air powered or air supplied respirators should be considered where prolonged or repeated use is necessary.

### PERSONAL PROTECTIVE EQUIPMENT GUIDELINES:

The recommendation for protective equipment contained within this report is provided as a guide only. Factors such as form of product, method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made.

# **HEALTH EFFECTS FROM EXPOSURE:**

It should be noted that the effects from exposure to this product will depend on several factors including: form of product; frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a report which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate.



SDS Date: 20 Jul 2021 Revision No: 1

Page 6 of 7

Abbreviations ACGIH American Conference of Governmental Industrial Hygienists

CAS # Chemical Abstract Service number - used to uniquely identify chemical compounds

CNS Central Nervous System

EC No. EC No - European Community Number

EMS Emergency Schedules (Emergency Procedures for Ships Carrying Dangerous

Goods)

GHS Globally Harmonized System

GTEPG Group Text Emergency Procedure Guide
IARC International Agency for Research on Cancer

LC50 Lethal Concentration, 50% / Median Lethal Concentration

LD50 Lethal Dose, 50% / Median Lethal Dose

mg/m³ Milligrams per Cubic Metre
OEL Occupational Exposure Limit

pH relates to hydrogen ion concentration using a scale of 0 (high acidic) to 14 (highly

alkaline).

ppm Parts Per Million

STEL Short-Term Exposure Limit

STOT-RE Specific target organ toxicity (repeated exposure)
STOT-SE Specific target organ toxicity (single exposure)

SUSMP Standard for the Uniform Scheduling of Medicines and Poisons

SWA Safe Work Australia
TLV Threshold Limit Value
TWA Time Weighted Average

#### Report status

This document has been compiled by RMT on behalf of the manufacturer, importer or supplier of the product and serves as their Safety Data Sheet ('SDS').

It is based on information concerning the product which has been provided to RMT by the manufacturer, importer or supplier or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer, importer or supplier.

While RMT has taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, RMT accepts no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS.

Prepared by

Risk Management Technologies 5 Ventnor Ave, West Perth Western Australia 6005 Phone: +61 8 9322 1711 Fax: +61 8 9322 1794 Email: info@rmt.com.au Web: www.rmtglobal.com

[ End of SDS ]



SDS Date: 20 Jul 2021 Revision No: 1

Page 7 of 7