

# **SAFETY DATA SHEET**

# 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

1.1 Product identifier

Product name PERLKA

Synonyms PERLKA FERTILISER

1.2 Uses and uses advised against
Uses FERTILISER

1.3 Details of the supplier of the product

Supplier name CAMPBELLS FERTILISERS AUSTRALASIA PTY LTD

Address 18 Raymond Rd, Laverton North, Victoria, 3026, AUSTRALIA

**Telephone** (03) 9931 2211 **Fax** (03) 9931 2201

Email <a href="mailto:info@campbellsfert.com.au">info@campbellsfert.com.au</a>
Website <a href="mailto:http://www.campbellsfert.com.au">http://www.campbellsfert.com.au</a>

1.4 Emergency telephone numbers

**Emergency** (03) 9931 2211 (8.30am - 5pm Monday - Friday)

**Emergency** 0418 350 726 (At all other times)

Poison Information 13 11 26

Centre

# 2. HAZARDS IDENTIFICATION

# 2.1 Classification of the substance or mixture

CLASSIFIED AS HAZARDOUS ACCORDING TO SAFE WORK AUSTRALIA CRITERIA

# **Physical Hazards**

Not classified as a Physical Hazard

## **Health Hazards**

Acute Toxicity: Oral: Category 4 Skin Corrosion/Irritation: Category 2 Skin Sensitisation: Category 1

Serious Eye Damage / Eye Irritation: Category 1

Specific Target Organ Toxicity (Single Exposure): Category 3 (Respiratory Irritation)

# **Environmental Hazards**

Aquatic Toxicity (Chronic): Category 3

# 2.2 GHS Label elements

Signal word DANGER

**Pictograms** 







SDS Date: 06 Dec 2021

# **Hazard statements**

H302 Harmful if swallowed. H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H335 May cause respiratory irritation.

H412 Harmful to aquatic life with long lasting effects.

## **Prevention statements**

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

#### Response statements

P302 + P352 IF ON SKIN: Wash with plenty of water.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing.

P310 Immediately call a POISON CENTRE or doctor/physician.
P321 Specific treatment is advised - see first aid instructions.

P330 Rinse mouth.

P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.

## Storage statements

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

# **Disposal statements**

P501 Dispose of contents/container in accordance with relevant regulations.

#### 2.3 Other hazards

No information provided.

## 3. COMPOSITION/ INFORMATION ON INGREDIENTS

## 3.1 Substances / Mixtures

Ingredient	CAS Number	EC Number	Content
CALCIUM CYANAMIDE	156-62-7	205-861-8	>40%
GRAPHITE	7782-42-5	231-955-3	>11%
CALCIUM HYDROXIDE	1305-62-0	215-137-3	13 to 15%
CALCIUM NITRATE TETRAHYDRATE	13477-34-4	603-865-8	<10%
CALCIUM SULPHATE	7778-18-9	231-900-3	<3%

Ingredient Notes Fertilizer based on calcium cyanamide contains 1.8 % Nitric nitrogen, residual content of calcium carbide <

0.1 %.

## 4. FIRST AID MEASURES

# 4.1 Description of first aid measures

Eye If in eyes, hold eyelids apart and flush continuously with running water. Continue flushing until advised to

stop by a Poisons Information Centre, a doctor, or for at least 15 minutes.

**Inhalation** If inhaled, remove from contaminated area. Apply artificial respiration if not breathing.

Skin If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water.

Continue flushing with water until advised to stop by a Poisons Information Centre or a doctor.

Ingestion For advice, contact a Poisons Information Centre on 13 11 26 (Australia Wide) or a doctor (at once).

First aid facilities Eye wash facilities should be available. A safety shower is recommended.

ChemAlert.

SDS Date: 06 Dec 2021 Revision No: 2

Page 2 of 8 Revision

## 4.2 Most important symptoms and effects, both acute and delayed

See Section 11 for more detailed information on health effects and symptoms.

# 4.3 Immediate medical attention and special treatment needed

Treat symptomatically.

# 5. FIRE FIGHTING MEASURES

#### 5.1 Extinguishing media

Use an extinguishing agent suitable for the surrounding fire.

#### 5.2 Special hazards arising from the substance or mixture

Non flammable. May evolve toxic gases if strongly heated. May evolve calcium hydroxide, cyanide and ammonia when heated to decomposition.

#### 5.3 Advice for firefighters

No fire or explosion hazard exists.

## 5.4 Hazchem code

None allocated.

# 6. ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures

Wear Personal Protective Equipment (PPE) as detailed in section 8 of the SDS. Ventilate area where possible.

## 6.2 Environmental precautions

Prevent product from entering drains and waterways.

#### 6.3 Methods of cleaning up

Contain spillage, then collect and place in suitable containers for disposal. Avoid generating dust.

## 6.4 Reference to other sections

See Sections 8 and 13 for exposure controls and disposal.

## 7. HANDLING AND STORAGE

#### 7.1 Precautions for safe handling

Before use carefully read the product label. Use of safe work practices are recommended to avoid eye or skin contact and inhalation. Observe good personal hygiene, including washing hands before eating. Prohibit eating, drinking and smoking in contaminated areas.

## 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry, well ventilated area, removed from foodstuffs. Ensure containers are adequately labelled, protected from physical damage and sealed when not in use. Do not allow to come in contact with water, either from rain, condensation or the surface on which stored. Bagged fertilisers should be stored under cover and out of direct sunlight (which degrades woven polypropylene packs). If stored in the open, do so for short periods only, and cover with a tarpaulin. If stacking is necessary, bulk bags should be stored in a stable manner, preferably in a pyramidal style. Bulk bags should not be stacked more than two high for bags containing 1 000 kg or more, or more than four high for bags containing up to 500 kg. The Pallet Capacity Rating (design weight) should not be exceeded on the bottom tier for other packs. High stacking should be avoided as pressure promotes caking. Store away from farm chemicals, e.g. insecticides, fungicides and herbicides.

#### 7.3 Specific end uses

No information provided.

ChemAlert.

SDS Date: 06 Dec 2021

# 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

## 8.1 Control parameters

## **Exposure standards**

Ingredient	Reference	TWA		STEL	
	Keieieiice	ppm	mg/m³	ppm	mg/m³
Calcium cyanamide	SWA [AUS]		0.5		
Calcium cyanamide	SWA [Proposed]		0.2		
Calcium hydroxide	SWA [AUS]		5		
Calcium hydroxide	SWA [Proposed]		1		
Calcium sulphate (a)	SWA [AUS]		10		
Calcium suphate	SWA [Proposed]		1.5		
Graphite (all forms except fibres)	SWA [AUS]		3		

## **Biological limits**

No biological limit values have been entered for this product.

#### 8.2 Exposure controls

Avoid inhalation. Use in well ventilated areas. Where an inhalation risk exists, mechanical extraction **Engineering controls** 

Page 4 of 8

ventilation is recommended. Maintain dust levels below the recommended exposure standard.

PPE

Eye / Face Wear dust-proof goggles. Hands Wear PVC or rubber gloves.

When using large quantities or where heavy contamination is likely, wear coveralls. **Body** 

Respiratory Where an inhalation risk exists, wear a Class P1 (Particulate) respirator.

NON FLAMMABLE



# 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

**Appearance GREY TO BLACK GRANULES** Odour CHARACTERISTIC ODOUR

**Flammability** Flash point **NOT RELEVANT Boiling point NOT AVAILABLE Melting point** 1145°C to 1217°C **Evaporation rate NOT AVAILABLE NOT AVAILABLE** рΗ **NOT AVAILABLE** Vapour density **NOT AVAILABLE** Relative density Solubility (water) SLIGHTLY SOLUBLE **NOT AVAILABLE** Vapour pressure **NOT RELEVANT** Upper explosion limit Lower explosion limit **NOT RELEVANT** Partition coefficient **NOT AVAILABLE** 

> 850°C Autoignition temperature Decomposition temperature NOT AVAILABLE **NOT AVAILABLE** Viscosity **Explosive properties NOT AVAILABLE** 

Oxidising properties NOT AVAILABLE **Odour threshold NOT AVAILABLE** 

9.2 Other information

**Bulk density** 1000 kg/m3 **Density** 2.3 g/cm3 @ 20°C



SDS Date: 06 Dec 2021

# 10. STABILITY AND REACTIVITY

## 10.1 Reactivity

Carefully review all information provided in sections 10.2 to 10.6.

#### 10.2 Chemical stability

Stable under recommended conditions of storage.

#### 10.3 Possibility of hazardous reactions

Polymerization is not expected to occur.

#### 10.4 Conditions to avoid

Avoid heat, sparks, open flames and other ignition sources. Dust generation.

## 10.5 Incompatible materials

Incompatible with oxidising agents (e.g. hypochlorites), acids (e.g. nitric acid) and alkalis (e.g. sodium hydroxide).

#### 10.6 Hazardous decomposition products

May evolve calcium hydroxide, cyanide and ammonia when heated to decomposition.

# 11. TOXICOLOGICAL INFORMATION

## 11.1 Information on toxicological effects

Acute toxicity Harmful if swallowed.

Information available for the ingredients:

Ingredient	Oral LD50	Dermal LD50	Inhalation LC50
CALCIUM CYANAMIDE	158 mg/kg (rat)		> 150 mg/m³/4 hours (rat)
CALCIUM HYDROXIDE	7300 mg/kg (mouse)		
CALCIUM NITRATE TETRAHYDRATE	3900 mg/kg (rat)		
CALCIUM SULPHATE	> 10,000 mg/kg (rat)		

**Skin** Contact may result in irritation, redness, rash and dermatitis.

Eye Causes serious eye damage. Contact may result in irritation, lacrimation, pain, redness and possible serious

eye damage.

Sensitisation May cause an allergic skin reaction. This product is not classified as a respiratory sensitiser.

MutagenicityNot classified as a mutagen.CarcinogenicityNot classified as a carcinogen.ReproductiveNot classified as a reproductive toxin

Reproductive Not classified as a reproductive toxin.

STOT - single Over exposure may result in irritation of the nose and throat, with coughing.

exposure STOT - repeated

Not classified as causing organ damage from repeated exposure.

ovnosuro

exposure Aspiration

Not classified as causing aspiration.

# 12. ECOLOGICAL INFORMATION

#### 12.1 Toxicity

Harmful to aquatic life with long lasting effects. Toxicity to fish: LC50 (Danio rerio): 212,8 mg/L/96 hours (The data are derived from the evaluations or test results achieved with similar products (conclusion by analogy)).

Toxicity to daphnia and other aquatic invertebrates: EC50 (Daphnia magna): 9,12 mg/L/48 hours; NOEC (Daphnia magna): 2,736 mg/L/48 hours (The data are derived from the evaluations or test results achieved with similar products (conclusion by analogy)).

Toxicity to algae: EC50 (Pseudokirchnerella subcapitata): 41,86 mg/L/72 hours; NOEC (Pseudokirchnerella subcapitata): 20,87 mg/L/72 hours (The data are derived from the evaluations or test results achieved with similar products (conclusion by analogy))..

### 12.2 Persistence and degradability

Hydrolysis in water. In the soil, the product acts as fertilizer and is degraded within a few weeks.



SDS Date: 06 Dec 2021 Revision No: 2

Page 5 of 8

# 12.3 Bioaccumulative potential

No information provided.

## 12.4 Mobility in soil

No information provided.

#### 12.5 Other adverse effects

Plant nutrients may be beneficial to plants at low levels, however high levels may cause reduced growth or burns in sensitive species. Excess may be washed through soil to waterways. Nutrients released to waterways may cause algal blooms, with potential for toxic effects on aquatic organisms.

# 13. DISPOSAL CONSIDERATIONS

## 13.1 Waste treatment methods

Waste disposal Must be brought to an adequate waste treatment facility, in conformity with applicable waste disposal

regulations. Must not be disposed of together with household wastes. In the soil, the product acts as fertilizer and is degraded within a few weeks. Contact the manufacturer/supplier for additional information (if

required).

**Legislation** Dispose of in accordance with relevant local legislation.



SDS Date: 06 Dec 2021

## 14. TRANSPORT INFORMATION

# NOT CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE, IMDG OR IATA

	LAND TRANSPORT (ADG)	SEA TRANSPORT (IMDG / IMO)	AIR TRANSPORT (IATA / ICAO)
14.1 UN Number	None allocated.	None allocated.	None allocated.
14.2 Proper Shipping Name	None allocated.	None allocated.	None allocated.
14.3 Transport hazard class	None allocated.	None allocated.	None allocated.
14.4 Packing Group	None allocated.	None allocated.	None allocated.

## 14.5 Environmental hazards

Not a Marine Pollutant.

## 14.6 Special precautions for user

Hazchem code None allocated.

Other information This substance is not subject to Australian Dangerous Goods Code (Special provision 38) when it

contains not more than 0.1% calcium carbide.

# 15. REGULATORY INFORMATION

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Poison schedule Classified as a Schedule 6 (S6) Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP).

Classifications Safe Work Australia criteria is based on the Globally Harmonised System (GHS) of Classification and

Labelling of Chemicals (GHS Revision 7).

Inventory listings AUSTRALIA: AllC (Australian Inventory of Industrial Chemicals)

All components are listed on AIIC, or are exempt.

# 16. OTHER INFORMATION

## **Additional information**

EXPOSURE STANDARDS - TIME WEIGHTED AVERAGES: Exposure standards are established on the premise of an 8 hour work period of normal intensity, under normal climatic conditions and where a 16 hour break between shifts exists to enable the body to eliminate absorbed contaminants. In the following circumstances, exposure standards must be reduced: Strenuous work conditions; hot, humid climates; high altitude conditions; extended shifts (which increase the exposure period and shorten the period of recuperation).

RESPIRATORS: In general the use of respirators should be limited and engineering controls employed to avoid exposure. If respiratory equipment must be worn ensure correct respirator selection and training is undertaken. Remember that some respirators may be extremely uncomfortable when used for long periods. The use of air powered or air supplied respirators should be considered where prolonged or repeated use is necessary.

#### PERSONAL PROTECTIVE EQUIPMENT GUIDELINES:

The recommendation for protective equipment contained within this report is provided as a guide only. Factors such as form of product, method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made.

# HEALTH EFFECTS FROM EXPOSURE:

It should be noted that the effects from exposure to this product will depend on several factors including: form of product; frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a report which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate.



SDS Date: 06 Dec 2021

Abbreviations ACGIH American Conference of Governmental Industrial Hygienists

CAS # Chemical Abstract Service number - used to uniquely identify chemical compounds

CNS Central Nervous System

EC No. EC No - European Community Number

EMS Emergency Schedules (Emergency Procedures for Ships Carrying Dangerous

Goods)

GHS Globally Harmonized System

GTEPG Group Text Emergency Procedure Guide IARC International Agency for Research on Cancer

LC50 Lethal Concentration, 50% / Median Lethal Concentration

LD50 Lethal Dose, 50% / Median Lethal Dose

mg/m³ Milligrams per Cubic Metre
OEL Occupational Exposure Limit

pH relates to hydrogen ion concentration using a scale of 0 (high acidic) to 14 (highly

alkaline).

ppm Parts Per Million

STEL Short-Term Exposure Limit

STOT-RE Specific target organ toxicity (repeated exposure)
STOT-SE Specific target organ toxicity (single exposure)

SUSMP Standard for the Uniform Scheduling of Medicines and Poisons

SWA Safe Work Australia
TLV Threshold Limit Value
TWA Time Weighted Average

## Report status

This document has been compiled by RMT on behalf of the manufacturer, importer or supplier of the product and serves as their Safety Data Sheet ('SDS').

It is based on information concerning the product which has been provided to RMT by the manufacturer, importer or supplier or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer, importer or supplier.

While RMT has taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, RMT accepts no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS.

Prepared by

Risk Management Technologies 5 Ventnor Ave, West Perth Western Australia 6005 Phone: +61 8 9322 1711 Fax: +61 8 9322 1794 Email: info@rmt.com.au Web: www.rmtglobal.com

[ End of SDS ]

Page 8 of 8



SDS Date: 06 Dec 2021