

Date: 29 October 2020

Product: Brexil Multi

Code: 1447

Print Date: October 29, 2020

SAFETY DATA SHEET **Brexil Multi**

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. **Product identifier**

Product form : Mixture Product name : BREXIL MULTI Product code : 1447

Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : Fertilizer

Uses advised against

No additional information available

Details of the supplier of the safety data sheet

Distributed and guaranteed by:

Campbells Fertilisers Australasia

18 Raymond Road, Laverton North, Victoria, 3026

Phone: (03) 9931 2211 Fax: (03) 9931 2201 www.campbellsfert.com.au

Competent person responsible for the safety data sheet:

regulatory@valagro.com

Emergency telephone number

Poison Information Centre - Telephone: 131126 (Australia wide - 24HRS)

SECTION 2: Hazards identification

Classification of the substance or mixture

Classification according to the Hazardous Substances (Classification) Notice 2017 of the HSNO Act, 1996:

Classified as Dangerous Goods for transport according to the New Zealand Standard NZS 5433:2012 Transport of Dangerous Goods on Land.

HSNO Classification:

8.3A - Substances that are corrosive to ocular tissue

6.3A - Substances that are irritating to the skin

6.9A - Target organ or systemic toxicant

9.1B - Substances that are ecotoxic in the aquatic environment

Hazard statement codes:

H318 - Causes serious eye damage

H315 - Causes skin irritation

H373 - May cause damage to the brain through prolonged or repeated exposure per inhalation.

H411 - Toxic to aquatic life with long lasting effects

Precautionary statement codes - Prevention:

P101 - If medical advice is needed, have product container or label at hand

P102 - Keep out of reach of children.

P103 - Read label before use

P280 - Wear protective gloves/safety goggle and face shield

P260 - Do not breathe dust/spray.

P321 - Specific treatment (see ... On this label)

P332 + P313 - If Skin irritation occurs: get medical advice/attention



VALAGRO SDS according to to HSNO Regulations - NZ EPA

Date: 29 October 2020 version number: 1.0

Product: Brexil Multi

Code: 1447

Print Date: October 29, 2020

P362 - Take off contaminated clothing and wash before reuse

P314 - Get medical advice/attention if you feel unwell.

P273 - Avoid release to the environment

Precautionary statement codes - Response:

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing

P310 - Immediately call a POISON CENTER or doctor

P391 - Collect spillage

Precautionary statement codes - Disposal:

P501 - Dispose of contents/container to comply with applicable local, national and international regulation

Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)







Signal word (CLP) : Danger

Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

SECTION 3: Composition/information on ingredients

3.1. **Substance**

Not applicable

3.2. **Mixture**

Name	Cas No.	%	Approval Status (NZIoC)
Iron (II) sulfate	7720-78-7	>= 10 - < 12.5	HSNO Approval Code HSR003420
Manganese(II) sulfate	7785-87-7	>= 12.5 - < 15	HSNO Approval Code HSR003945
Zinc sulphate	7733-02-0	>= 3 - < 5	HSNO Approval Code HSR003279

Other ingredients not subject to the provisions of the Hazardous Substances (identification) Regulations 2001, make up the product concentration to 100%

SECTION 4: First aid measures

Description of first aid measures

First-aid measures general

: In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

First-aid measures after inhalation

Remove victim to fresh air and keep at rest in a position comfortable for breathing. In case of breathing difficulties administer oxygen. In case of irregular breathing or respiratory arrest provide artificial respiration. Seek medical advice.

First-aid measures after skin contact

Remove contaminated clothing immediately and dispose of safely. Wash skin thoroughly with mild soap and water. If skin irritation occurs: Get medical advice/attention.



Date: 29 October 2020 Product: Brexil Multi

Code: 1447

Print Date: October 29, 2020

First-aid measures after eye contact : In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15

minutes holding eyelids apart. Subsequently consult an ophthalmologist. Remove contact lenses, if present and easy to do. Continue rinsing. Protect uninjured eye.

First-aid measures after ingestion If swallowed, rinse mouth with water (only if the person is conscious). Give water to

drink if victim completely conscious/alert. Do not induce vomiting without medical advice. Immediately call a POISON CENTER or doctor/ physician.

Other information For advice, contact a Poisons Information Centre (e.g. phone Australia 131 126; New

Zealand 0800 764 766) or a doctor.

Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation : Inhalation may cause irritation, cough, shortness of breath.

Frequent or prolonged contact with skin may cause dermal irritation. Symptoms include Symptoms/injuries after skin contact

redness, itching, and burning of the skin.

Symptoms/injuries after eye contact Causes serious eye irritation. Pain. redness, : May cause gastric irritation. Vomiting. stomach pain. Symptoms/injuries after ingestion

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media : Carbon dioxide (CO2). Water spray. Foam. Powder.

Special hazards arising from the substance or mixture

Fire hazard : Do not breathe fumes.

Explosive dust-air mixtures may form. Explosion hazard

Hazardous decomposition products in case : Sulfur oxides. carbon oxides (CO and CO2). Nitrogen oxides. Metal oxides.

of fire

5.3. **Advice for firefighters**

Precautionary measures fire Evacuate the personnel away from the fumes.

Move undamaged containers from immediate hazard area if it can be done safely. Firefighting instructions Extra personal protection: complete protective clothing including self-contained Protective equipment for firefighters

breathing apparatus.

Other information Collect contaminated fire extinguishing water separately. This must not be discharged

into drains. Do not allow run-off from fire fighting to enter drains or water courses.

Hazchem Code

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures 6.1.

For non-emergency personnel 6.1.1.

Do not attempt to take action without suitable protective equipment. Wear suitable Protective equipment

protective clothing, gloves and eye/face protection.

Emergency procedures Alert emergency personnel. Eliminate all ignition sources if safe to do so. Provide

adequate ventilation.

Measures in case of dust release : Dust production: dust mask with filter type P2.

6.1.2. For emergency responders

Protective equipment : Wear suitable protective clothing, gloves and eye/face protection. Avoid breathing dust/fume/gas/mist/vapours/spray. Dust production: dust mask with filter type P2.

Evacuate unnecessary personnel. Avoid generation of dust. Dust may form explosive

Emergency procedures mixture in air. Eliminate all ignition sources if safe to do so.

Environmental precautions

Avoid release to the environment. Notify authorities if liquid enters sewers or public waters.

Methods and material for containment and cleaning up

For containment : Stop leak if safe to do so.



VALAGRO SDS according to to HSNO Regulations - NZ EPA

version number: 1.0

Date: 29 October 2020 Product: Brexil Multi

Code: 1447

Print Date: October 29, 2020

Methods for cleaning up : Ventilate affected area. Wear personal protection equipment. Minimize generation of

dust. Wash with plenty of soap and water. Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Consult the appropriate

authorities about waste disposal.

Other information : Do not allow uncontrolled discharge of product into the environment.

Reference to other sections

For disposal of residues refer to section 13: Disposal considerations. For further information refer to section 8: "Exposure controls/personal protection".

SECTION 7: Handling and storage

Precautions for safe handling

Precautions for safe handling

: Avoid contact with skin and eyes. Avoid breathing dust, fume, mist, vapours. Minimize generation of dust. Keep away from sources of ignition - No smoking. Do not re-use empty containers without proper cleaning or reconditioning.

Hygiene measures

: Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace.

Conditions for safe storage, including any incompatibilities

Storage conditions

- : Keep in original containers. Store tightly closed in a dry, cool and well-ventilated place. Keep out of direct sunlight. Use care during processing to minimize generation of dust. Explosive dust-air mixtures may form.
- Incompatible products Heat and ignition sources
- Strong bases. Strong acids. Oxidising agents. reducing agents. Keep away from open flames, hot surfaces and sources of ignition.
- Prohibitions on mixed storage
- : Keep away from food, drink and animal feeding stuffs.
- Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

Control parameters

New Zealand Workplace Exposure Standard:

No value assigned for any of the ingredients by the New Zealand Department of Labour (Health & Safety).

Iron (II) sulfate (7720-78-7)		
DNEL/DMEL (Workers)		
Long-term - systemic effects, dermal	1.6 mg/kg bodyweight/day	WWW.1111.
Long-term - systemic effects, inhalation	5.5 mg/m³	W/83/11/11/1
DNEL/DMEL (General population)		
Long-term - systemic effects,oral	0.8 mg/kg bodyweight/day	WW. 11111
Long-term - systemic effects, inhalation	1.4 mg/m³	
Long-term - systemic effects, dermal	0.8 mg/kg bodyweight/day	
PNEC (Sediment)		
PNEC sediment (freshwater)	49.5 mg/kg dwt referred to Iron concentration	
PNEC (Soil)		
PNEC soil	55 mg/kg dwt	A (((()))
PNEC (STP)		
PNEC sewage treatment plant	500 mg/l referred to Iron concentration	B/////
	•	=#/////

Manganese(II) sulfate (7785-87-7)	
DNEL/DMEL (Workers)	
Long-term - systemic effects, dermal	0.00414 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	0.2 mg/m³



Product: Brexil Multi

Code: 1447

Print Date: October 29, 2020

Manganese(II) sulfate (7785-87-7)	
DNEL/DMEL (General population)	
Long-term - systemic effects, inhalation	0.043 mg/m³
Long-term - systemic effects, dermal	0.0021 mg/kg bodyweight/day
PNEC (Water)	
PNEC aqua (freshwater)	0.0128 mg/l
PNEC aqua (marine water)	0.0004 mg/l
PNEC aqua (intermittent, freshwater)	0.03 mg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	0.0114 mg/kg dwt
PNEC sediment (marine water)	0.00114 mg/kg dwt
PNEC (Soil)	
PNEC soil	25.1 mg/kg dwt
PNEC (STP)	
PNEC sewage treatment plant	56 mg/l

Zinc sulphate (7733-02-0)		
DNEL/DMEL (Workers)		
Long-term - systemic effects, dermal	500 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	1 mg/m ³	
DNEL/DMEL (General population)		
Long-term - systemic effects,oral	50 mg/kg bodyweight/day	111111111111111111111111111111111111111
Long-term - systemic effects, inhalation	1,3 mg/m³	
Long-term - systemic effects, dermal	500 mg/kg bodyweight/day	3/4//4/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1
PNEC (Water)		
PNEC aqua (freshwater)	0,0206 mg/l	-///////////
PNEC aqua (marine water)	0,0061 mg/l	3/////////
PNEC (Sediment)		
PNEC sediment (freshwater)	235,6 mg/kg dwt	XIIIIIIIIII
PNEC sediment (marine water)	113 mg/kg dwt	2////////////
PNEC (Soil)		
PNEC soil	106,8 mg/kg dwt	7//////////
PNEC (STP)		
PNEC sewage treatment plant	0,052 mg/l	VILLEY

8.2. Exposure controls

Appropriate engineering controls: Provide adequate ventilation.

Personal protective equipment: Safety glasses. Gloves. Protective clothing.

Hand protection: Chemical resistant nitrile gloves (to European standard EN 374 or equivalent). Breakthrough time : > 480 min.

Thickness of glove material: > 0,13 mm

Eye protection: Use eye protection according to EN 166, designed to protect dusts. Tightly fitting safety goggles

Skin and body protection: Use chemically protective clothing. EN 14605 **Respiratory protection:** Dust production: dust mask with filter type P2. EN 149



Product: Brexil Multi

Code: 1447

Print Date: October 29, 2020







Environmental exposure controls: Do not allow into drains or water courses. Do not allow to enter into soil/subsoil.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Solid

Appearance : Granular solid.
Colour : brown.

Odour : coffee.

Odour threshold : No data available
pH : No data available

pH solution 1% ($t = 20^{\circ}$ C) : 3,2

Relative evaporation rate (butyl acetate=1) : not applicable, solid

Melting point : No data available

Freezing point : not applicable, solid

Boiling point : not applicable, solid

Flash point : not applicable, solid

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Flammability (solid, gas) : No data available

Vapour pressure : not applicable, solid

Relative vapour density at 20 °C : not applicable, solid

Relative density : No data available

Density : 0,67 kg/l

Solubility : Water: 300 g/l @ 20 °C

Log Pow : No data available

Viscosity, kinematic : not applicable, solid
Viscosity, dynamic : not applicable, solid

Explosive properties : Not expected to be explosive as none of the components is classified as explosive.

Oxidising properties : None of the components are classified for oxidizing properties.

Explosive limits : No data available

9.2. Other information

Specific conductivity : Not available



Date: 29 October 2020

Product: Brexil Multi

Code: 1447

Print Date: October 29, 2020

SECTION 10: Stability and reactivity

Reactivity

No additional information available

Chemical stability

Stable under normal conditions.

Possibility of hazardous reactions 10.3.

None under normal conditions. No polymerization. May react with alkalis such as lime to generate ammonia vapours.

Conditions to avoid 10.4.

Zinc sulphate (7733-02-0)

Overheating. Avoid generation of dust. Accumulation of airborne dusts may present an explosion hazard in the presence of an ignition source.

10.5. Incompatible materials

Oxidising agents. reducing agents. Strong acids. Strong bases.

Hazardous decomposition products

During a fire: Sulfur oxides. Carbon oxides (CO, CO2). Nitrogen oxides (NOx). Metal oxides.

SECTION 11: Toxicological information

Information on toxicological effects

: Not classified Acute toxicity

Iron (II) sulfate (7/20-78-7)	
LD50 dermal	> 2000 mg/kg

Manganese(II) sulfate (7785-87-7)		
LC50 inhalation rat (mg/l)	> 4,98 mg/l Griffiths DR (2010)	

LD50 dermal rat >	> 2
-------------------	-----

2000 µl/kg Van Huygevoort (1999a)

Skin corrosion/irritation : Irritant

Serious eye damage/irritation : Causes serious eye damage.

Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified : Not classified Reproductive toxicity Specific target organ toxicity (single : Not classified exposure) Specific target organ toxicity (repeated : STOT cat.2 exposure) Aspiration hazard : Not classified

SECTION 12: Ecological information

12.1. Toxicity

Brexil Multi	***************************************
LC50 fish 96h	>100mg/l (OECD 203)
IC50 Daphnia 48h	>100mg/l (OECD 202)
EyC50 72h algae	= 9.3 mg/L (OECD 201)
ErC 50 72 h	= 52.46 mg/L (OECD 201)

Persistence and degradability

No additional information available



Date: 29 October 2020

Product: Brexil Multi

Code: 1447

Print Date: October 29, 2020

Bioaccumulative potential

Brexil Multi	
Bioaccumulative potential	Bioaccumulative potential

Mobility in soil 12.4.

Brexil Multi	
Mobility in soil	In general, the mobility in the soil of the microelements in the mixture is influenced by several factors such as pH, CO2 concentration, redox conditions, and availability of organic and inorganic complexing agents.

Results of PBT and vPvB assessment 12.5.

Brexil Multi	
Results of PBT assessment	The components in this formulation do not meet the criteria for classification as PBT or vPvB.

Other adverse effects 12.6.

Other adverse effects : None known.

SECTION 13: Disposal considerations

Waste treatment methods

: Reuse or recycle following decontamination. External recovery and recycling of waste should comply with applicable local and/or national regulations.

SECTION 14: Transport information

In accordance with IATA / IMDG / NZS 5433:2012 Transport of Dangerous Goods on Land.

14.1. **UN** number

Waste treatment methods

UN-No. (NZS5433) : 3077 UN-No. (IMDG) : 3077 UN-No. (IATA) : 3077

UN proper shipping name

Proper Shipping Name (NZS5433) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. Proper Shipping Name (IMDG) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

Proper Shipping Name (IATA) Environmentally hazardous substance, solid, n.o.s.

Transport document description UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

((manganese sulphate, zinc sulphate, copper sulphate)), 9, III, (E)

: UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. Transport document description (IMDG)

((manganese sulphate, zinc sulphate, copper sulphate)), 9, III, MARINE

POLLUTANT/ENVIRONMENTALLY HAZARDOUS

Transport document description (IATA) : UN 3077 Environmentally hazardous substance, solid, n.o.s. ((manganese sulphate,

zinc sulphate, copper sulphate)), 9, III, ENVIRONMENTALLY HAZARDOUS

14.3. Transport hazard class(es)

Transport of Dangerous Goods on Land

Transport hazard class(es) (NZS5433) : 9 Danger labels (NZS5433) : 9



Product: Brexil Multi

Code: 1447

Print Date: October 29, 2020



IMDG

Transport hazard class(es) (IMDG) : 9
Danger labels (IMDG) : 9



IATA

Transport hazard class(es) (IATA) : 9
Hazard labels (IATA) : 9



14.4. Packing group

Packing group (NZS5433) : III
Packing group (IMDG) : III
Packing group (IATA) : III

14.5. Environmental hazards

Dangerous for the environment : Yes

Marine pollutant : Yes

Hazchem Code : 2Z

Other information : No supplementary information available

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances

15.1.2. National regulations

New Zealand

Classification: : Classified as hazardous according

to criteria in the HS (Minimum Degrees of Hazard) Regulations

2001.

National :All components are listed on the Chemical New Zealand Inventory of

Inventories Chemicals

(NZIoC)



Product: Brexil Multi

Code: 1447

Print Date: October 29, 2020

HSNO Approval :HSR002571. Fertiliser (Subsidiary Number (Group Hazard) Group Standard 2006 Standard)

Germany

VwVwS Annex reference

: Water hazard class (WGK) 3, severe hazard to waters (Classification according to

VwVwS, Annex 4)

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV

: Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

Netherlands

SZW-lijst van kankerverwekkende stoffen

SZW-lijst van mutagene stoffen NIET-limitatieve lijst van voor de

voortplanting giftige stoffen – Borstvoeding

NIET-limitatieve lijst van voor de voortplanting giftige stoffen –

Vruchtbaarheid

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling

Manganese(II) sulfate is listedManganese(II) sulfate is listedNone of the components are listed

: None of the components are listed

None of the components are lister

: copper sulphate is listed

Denmark

Recommendations Danish Regulation

Young people below the age of 18 years are not allowed to use the product Pregnant/breastfeeding women working with the product must not be in direct contact with the product

15.2. Chemical safety assessment

For the following substances of this mixture a chemical safety assessment has been carried out	
Iron (II) sulfate	
Manganese(II) sulfate	######################################
Zinc sulphate	- HIIIIII

SECTION 16: Other information

Abbreviations and acronyms:

SDS	Safety Data Sheet
CAS	Chemical Abstracts Service
GHS	Globally Harmonised System
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
DNEL	Derived-No Effect Level
EC50	Median effective concentration
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
RID	Regulations concerning the International Carriage of Dangerous Goods by Rai
PNEC	Predicted No-Effect Concentration
PBT	Persistent Bioaccumulative Toxic
vPvB	Very Persistent and Very Bioaccumulative
ATE	Acute Toxicity Estimate



Product: Brexil Multi

Code: 1447

Print Date: October 29, 2020

BCF	Bioconcentration factor
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006

Other information

: This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. It is the user's responsibility to take mentioned precaution measures and ensure that this information is complete and sufficient for the use of this product.

Full text of H- and EUH-statements:

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Skin Irrit. 2	Skin corrosion/irritation Category 2
STOT RE 2	Specific target organ toxicity (repeated exposure) Category 2
H302	Harmful if swallowed
H315	Causes skin irritation
H318	Causes serious eye damage
H319	Causes serious eye irritation
H373	May cause damage to organs through prolonged or repeated exposure
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects